

All In One Solar Street Light

-  Low Energy Consumption
-  Long Life to Working
-  High Luminance
-  Maintenance-free
-  Easy Installation
-  Installation Easily
-  Environment-friendly



No Cable High bright Long Life Pro-Design

MYP-8 Parameter

Solar panel Max power:	18V15W (high efficiency imported silicon solar cell)	Mounting height:	2-3m
Solar panel Life time:	25 years	Space between light:	10-15m
Battery Type:	lithium battery 6AH /12.8V (Life time 5 years)	Lamps material of main:	aluminium alloy
LED Max power:	12V 8W	Certificate:	ISO/CE / ROHS / TUV/SGS
Led chip brand:	Epistar with high brightness LED	IP Grade	65
Lumen (LM):	960lm	Warranty period:	3years
LED Life time:	50000 hours	Unit size:	361x403x43mm
Lighting Viewing Angle:	120°	Packing Size	578x548x160mm
Charge time(by sun):	6-7hours (with enough strong shine)	N.W:	4.9 Kg
Discharge time:	more than 20 hours (saving mode)	20GP container:	560pcs
Working TEMP()	-20~+60℃	40GP container:	1176pcs
CCT	5500K-6500K	H S Code	9405409000

Mutian Solar Energy Sciencetech Company

No. 5699, North Second Ring Road, Baoding, China

Tel: +86-312-3917310 | Fax: +86-312-3917315 | www.solarmt.com | Email: sales@solarmt.com


Product Details

Aluminum Alloy Shell



A-Class Solar Panel

Protection Switch



High Bright LED

Human Body Sensor



Ventilation

Mutian Solar Energy Sciencetech Company

No. 5699, North Second Ring Road, Baoding, China

Tel: +86-312-3917310 | Fax: +86-312-3917315 | www.solarmt.com | Email: sales@solarmt.com

Product Component



All-In-One Solar Street Light

Model	Solar Panel	Lithium Battery	LED Power:	Lumen (LM):	Net Size(mm)	Weight
MYP-8	15WP	6AH	8W	960	361*403*43	4.9 Kg
MYP-12	18WP	6AH	12W	1440	528*403*43	5.2 Kg
MYP-15	30WP	15AH	15W	1800	641*403*43	8.0 Kg
MYP-20	40WP	18AH	20W	2400	691*568*43	10.8 Kg
MYP-25	50WP	21AH	25W	3000	691*568*43	13.1 Kg
MYP-30	60WP	24AH	30W	3600	996*568*43	15.2 Kg
MYP-40	60WP	27AH	40W	4800	996*568*43	16.0 Kg
MYP50	80WP	42AH	50W	6000	1141*568*43	19.2 Kg
MYP60	80WP	42AH	60W	7200	1141*568*43	21.3 Kg

Mutian Solar Energy Sciencetech Company

No. 5699, North Second Ring Road, Baoding, China

Tel: +86-312-3917310 | Fax: +86-312-3917315 | www.solarmt.com | Email: sales@solarmt.com